

Model 90 LIBERTY FOLDER

Three Folds

Speed, One Completely Folded Sheet Per Second

Range, 5½ x 6 Inches to 17 x 22½ Inches



Guaranteed to be the Simplest
3-fold Machine in the World

*A Model 90 Folder Will be Given FREE to Any
Printer Who Proves the Above Statement Incorrect*

ALAN DIETCH
Printing and Allied Equipment
71 Queensboro Rd. - Rochester 9, N. Y.
Culver 2931



THE LIBERTY MODEL 90

was NOT designed to accommodate freak folding with several extra sets of rolls which serve only as selling points and necessitate high first cost, waste of power, complications, additional attention and increased upkeep, but was designed to give real service.

The Model 90 has all the useful and standard folds required of a machine this size in any print shop. It is not a new, undeveloped model. It has been on the market over five years, and it has stood the test of time. It has all the advantages of both tape and tapeless machines, being a combination of both,

The Liberty policy is as simple as the Liberty Folder. When you buy a Liberty you are not simply buying a machine; you are in reality buying a wealth producing service which the machine is to perform, and every folder leaving the Liberty factory must perform this service under our five-year guarantee.

TAPES

Only four tapes on the entire machine. Tapes do not go around the rolls—impossible to leave tape print on the folded sheets.

REGISTRATION

On the first and third folds the registration is automatic. The second fold is registered with an all-steel header fully graduated, with a one-screw adjustment. This header is operated by the second fold cam, thereby making it impossible for the header to get out of time.

QUICK CHANGE


The only adjustments on the first and third folds is the graduated stop. No tapes, no retarders, no wires—nothing to set but the stop, any size sheet. The second fold is of standard book machine construction—set the stop and header. Four steel balls are provided at the rear edge of the sheet to prevent rebounding.

ATTACHES TO ANY LIGHT SOCKET

Liberty Jr.,

(THRU

Range, 5½ x 6



Sheets are fed between metal side guides. Easy to feed.

Front feed gauges prevent feeding out of time.

Heavy steel table frame. No warping.

Gauges have both swivel and lateral adjustment.

Sectional feed table. Impossible for sheets to slip under side guides.

Belt-tightener. Belt can be tightened without moving motor.

Motor driven. Attaches to any lamp socket.

Heavy ribbed grey iron frame.

Equipped with oilless bearings. Will stand abuse. No oiling.

Single adjustment of motor.

'Twenty Years' Folding Machine

The Model 90 operates at 100 PER SECOND, and will easily

The Model 90 is finished in enamel, with all bright parts in solid oak, golden finish, high

POWER REQUIRED

